




**INTEX**



**NEW BEE RATING**

— INTRODUCING —  
**SRAC2031 (2 TON INVERTER AC)**  
**BUILT FOR INDIAN SUMMERS**






## BEE STAR RATING 2026 – AIR CONDITIONERS

The updated BEE Star Rating confirms that the product meets the latest energy efficiency benchmarks and is suitable for customer as per current BEE regulations.

All INTEX ACs now have the latest BEE (Bureau of Energy Efficiency) ratings based on energy efficiency, measured using ISEER values.

BEFORE	AFTER
Old 5 Star	→ New 4 Star
Old 4 Star	→ New 3 Star
Old 3 Star	→ New 2 Star



*Overview of new energy efficiency norms implemented from 1st Jan 2026 in India.*



**INTEX**



## FROST SELF-CLEAN WITH ONE CLICK



### DIRT BUILD-UP

Dirty indoor evaporators breed mould, bacteria, and unpleasant odours, negatively impacting indoor air quality.



### FROST SELF-CLEAN

Intex GoodAir Frost Self-Clean technology deep cleans the indoor unit in just 15-20 minutes with the press of a button.



### CLEAR & FRESH

99.9% cleaner air and up to 30% better efficiency.



**INTEX**



## 7-IN-1 CONVERTIBLE CUSTOMIZABLE POWER MODE



45%



55%



70%



80%



90%



Full  
Capacity



High  
Capacity



LOW OCCUPANCY




MEDIUM OCCUPANCY



HIGH OCCUPANCY




**INTEX**



## PM 2.5 FILTER

CLEANER AIR FOR HEALTHIER LIVING.



EXTREME HEAT, MET WITH  
**EXTREME COOL**



**COOLS EVEN AT**  
54° IN SUMMERS



**100% COPPER**

Better heat transfer. Energy saving. Faster cooling.



**3D AIRFLOW**


Uniform Comfort Everywhere.




**ECO-FRIENDLY  
REFRIGERANT**



**ANTI-CORROSION**



**INTEX**



**60 SEC. AUTO CLOSE TIMER**  
For Coiling Safety and Moisture Releasing.



**SLEEP MODE**


With soft-touch remote control operations.



INTEX


# INBUILT BLDC MOTOR

Silent Cooling | Low Power Consumption



INBUILT  
BLDC MOTOR

**INTEX**



# SUMMER CHILL OPTION

Delivers turbo airflow and instant cooling for immediate comfort.




Product Dimensions (L x W x H) IDU: 1040 x 315 x 235 mm



Product Dimensions (L x W x H) ODU: 835 x 352 x 560 mm





<b>Ton</b>	<b>2 Ton</b>
<b>Cooling Capacity</b>	<b>6200 W</b>
<b>BEE Star Rating</b>	<b>3 STAR</b>
<b>Power Requirement</b>	<b>AC 230 V, 50 Hz</b>
<b>Condenser Coil</b>	<b>100 % Copper</b>
<b>Self-Clean</b>	<b>YES</b>
<b>Auto Swing (2 Way)</b>	<b>YES</b>
<b>Convertible Mode</b>	<b>7-in-1 Convertible</b>
<b>IDU Size</b>	<b>1040 mm</b>
<b>ODU Size</b>	<b>20" Polar</b>
<b>Product Dimensions (L x W x H) IDU</b>	<b>1040 x 315 x 235 mm</b>
<b>Product Dimensions (L x W x H) ODU</b>	<b>835 x 352 x 560 mm</b>
<b>BLDC IDU</b>	<b>Yes</b>
<b>BLDC ODU</b>	<b>Yes</b>
<b>Indoor Air Flow</b>	<b>1300 m<sup>3</sup>/h</b>
<b>Cooling Capacity (Half/Full/Max)</b>	<b>3100-6200-6510</b>
<b>Applicable for Room Size (sqft)</b>	<b>120 to 150</b>

100% COPPER COIL

7-IN-1 CONVERTIBLE

BLDC MOTOR

PM 2.5 FILTER

FROST SELF CLEAN

POWER CHILL OPTION

**ECO SAVING MODE**

**TURBO MODE**

**EFFECTIVE R32 REFRIGERANT**

**SLEEP MODE**

**SILENT COOLING SYSTEM**


**LOW NOISE LEVEL**

**POWERCHILL OPTION**

**PM2.5**

**MRP**  
**₹88,999.00/-**  
(Inclusive of all taxes)

# INTEX



Scan and Discover  
World-Class Products  
from Intex

Regd. Office: A-61, Okhla Industrial Area, Phase-II, New Delhi-110020  
500+ Service Touch Points | Website: [www.intex.in](http://www.intex.in) | Email: [info@intex.in](mailto:info@intex.in)  
Customer Care No. : 0120-489-5555



@intextechnologies



@IntexBrand



@IntexIndia



@IntexTechnologies